



Alpine





Alpine

Alpine is nice and authentic bouclé woven quality which is a perfect fit for our Comfort collection. Softness, volume and elegance are characteristic of this collection.

We added this article following the latest trends and market demand.

Alpine combines polyester, cotton and polyacrylic yarns, twisted to make a beautiful upholstery fabric. Bouclé yarns are really fun to spin. Made by first creating loose loops around a core yarn, bouclé yarns look marvellous and are a very popular choice in furniture fabrics. This article can be applied widely: perfect for loose covers and easily upholstered on tight fitted models. It will fit every style and nice to combine with our velvets Royal, Juke, Seven and Adore.

Please be aware that the fabric is sensitive for sharp tools, belts, jewelry and pets. Loops or loose threads can appear and can be pushed back in the fabric with a blunt object. Make sure never to pull or cut the thread. Alpine is a wonderful textile – formed by the varying size of loops, from large and loose curls to small and tight circles – that makes a bouclé fabric so attractive.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

Textafoam originals Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.

Composition

/ faceside 90%PES 5%CO 5%PAC
/ backside n/a
/ flatweave

Suitable for


sofa's, beds, chairs with fitted and loose fitting upholstery




beige 05



bronze 116




brown 15




champagne 186 (new colour)



clay 84 (new colour)




darkbrown 18




denim 153




forest 162



grey 65



hazel 96



indigo 90



ivory 101


Please note: colours may vary according to your screen settings.




natural 01



onyx 169




sage 203



steel 149



taupe 12 (new colour)



thyme 206

Please note: colours may vary according to your screen settings.

Alpine - Article passport

Nice and authentic bouclé woven quality with a soft and full grip and a rich appearance.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	flatweave
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery
Composition faceside	90%PES 5%CO 5%PAC
Composition backside	n/a
Coating	transparent
Statistic code	54079300
Dyeing method	yarn dyed
Available colours	18
Packaging	transparent plastic

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	75.000		min. 8.000	min. 16.000	B
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4		min. 3-4	min. 4	B
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	5		min. 4	min.5	B
	middle colours	CTL	grade	5		min. 4	min.5	B
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	dark colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	light colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
Ignitability (cigarette test)	BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed				

Processing specifications

Minimum workable width in centimeters	± 143
Roll length in meters	± 35
Material weight in grams per linear meter	± 715

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.514	717	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	136,9	176,3	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	2,0	2,0	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed				

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	-0,4	-2,0	n/a	n/a	A/A

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.



Textaafoam
creativity in fabrics

Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaafoam.nl
www.textaafoam.nl